

Rating Letter - Intimation of Rating Action

Letter Issued on: December 21, 2020

Letter Expires on: March 14, 2022

Annual Fee valid till: July 22, 2022

Scan this QR Code to verify
authenticity of this rating



Tirupati Foam Limited

Tirupati House, 4th Floor, No.Top 92,
Restaurant, University Road,
Polytechnic Char Rasta, Ambawadi,
Ahmedabad,
Gujarat - 380015

Kind Attn.: Mr. Roshan P. Sanghavi, Managing Director (Tel. No. 9825300474)

Dear Mr. Sanghavi,

Sub.: Rating(s) Reaffirmed - Bank Loans / Debt Instruments of Tirupati Foam Limited

Please note that the current rating(s) and outlook, instrument details, and latest rating action for the aforementioned instrument are as under:

	Long Term Instruments	Short Term Instruments
Total Rated Quantum (Rs. Cr.)	36.77	7.23
Quantum of Enhancement (Rs. Cr.)	Not applicable	Not applicable
Rating	ACUITE BB+	ACUITE A4+
Outlook	Stable	Not applicable
Most recent Rating Action	Reaffirmed	Reaffirmed
Date of most recent Rating Action	December 21, 2020	December 21, 2020
Rating Watch	Not applicable	Not applicable

Acuite reserves the right to revise the ratings, along with the outlook, at any time, on the basis of new information, or other circumstances which Acuite believes may have an impact on the ratings. Such revisions, if any, would be appropriately disseminated by Acuite as required under prevailing SEBI guidelines and Acuite's policies.

This letter will expire on **March 14, 2022** or on the day when Acuite takes the next rating action, whichever is earlier. It may be noted that the rating is subject to change anytime even before the expiry date of this letter. Hence lenders / investors are advised to visit <https://www.acuite.in/> OR scan the QR code given above to confirm the current outstanding rating.

Acuite will re-issue this rating letter on **March 15, 2022** subject to receipt of surveillance fee as applicable. If the rating is reviewed before **March 14, 2022**, Acuite will issue a new rating letter.



Suman Chowdhury
Chief Analytical Officer

Annexures: A. Details of the Rated Instrument
B. Details of the rating prior to the above rating action

Acuite Ratings & Research Limited

SEBI Registered | RBI Accredited

A-812, The Capital, G-Block, BKC, Bandra (E), Mumbai - 400051 | +91 22 49294000 SMS: +91 9969898000 |
www.acuite.in | CIN: U74999MH2005PLC155683

Annexure A. Details of the rated instrument

Bank	Facilities	Scale	Previous Amt. (Rs. Cr.)	Revised Amt. (Rs. Cr.)	Ratings	Rating Action
Fund Based Facilities						
Bank of India	Cash Credit	Long Term	25.00	25.00	ACUITE BB+/Stable	Reaffirmed
Bank of India	Term Loan	Long Term	3.00	3.00	ACUITE BB+	Withdrawn
Proposed Bank Facility		Long Term	8.77	11.77	ACUITE BB+/Stable	Reaffirmed
Total Fund Based Facilities			36.77	36.77		
Non-Fund Based Facilities						
Bank of India	Letter of Credit	Short Term	7.15	7.15	ACUITE A4+	Reaffirmed
Bank of India	Bank Guarantee	Short Term	0.08	0.08	ACUITE A4+	Reaffirmed
Total Non-Fund Based Facilities			7.23	7.23		
Total Facilities			44.00	44.00		

Annexure B. Details of the rating prior to the above rating action

	Long Term Instruments	Short Term Instruments
Previous Rated Quantum	36.77 Cr.	7.23 Cr.
Rating	ACUITE BB+	ACUITE A4+
Outlook	Stable	Not applicable

DISCLAIMER

An Acuite rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuite ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuite, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuite is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuite ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuite, Acuite's rating scale and its definitions.